Math 1231 Practice Midterm Solutions

Instructor: Jay Daigle

Problem 1 (M1). Compute the following limits if they exist. Show enough work to justify your computation, or your claim that the limit does not exist.

(a)

$$\lim_{x \to 9} \frac{3 - \sqrt{x}}{9 - x}$$

Solution:

$$\lim_{x \to 9} \frac{3 - \sqrt{x}}{9 - x} = \lim_{x \to 9} \frac{(3 - \sqrt{x})(3 + \sqrt{x})}{(9 - x)(3 + \sqrt{x})} = \lim_{x \to 9} \frac{9 - x}{(9 - x)(3 + \sqrt{x})} = \lim_{x \to 9} \frac{1}{3 + \sqrt{x}} = 1/6.$$

(b)

$$\lim_{x \to +\infty} \frac{3x^3 + \sqrt[3]{x}}{\sqrt{9x^6 + 2x^2 + 1} + x}$$

Solution:

$$\begin{split} \lim_{x \to +\infty} \frac{3x^3 + \sqrt[3]{x}}{\sqrt{9x^6 + 2x^2 + 1} + x} &= \lim_{x \to +\infty} \frac{3x^3/x^3 + \sqrt[3]{x}/x^3}{\sqrt{9x^6 + 2x^2 + 1}/(\sqrt{x^6}) + x/x^3} \\ &= \lim_{x \to +\infty} \frac{3 + x^{-8/3}}{\sqrt{9 + 2x^{-4} + x^{-6}} + x^{-2}} \\ &= \lim_{x \to +\infty} \frac{3}{\sqrt{9}} = 1. \end{split}$$

(c)

$$\lim_{x \to 1} \frac{\sin^2(x-1)}{(x-1)^2} =$$

Solution:

$$\lim_{x \to 1} \frac{\sin^2(x-1)}{(x-1)^2} = \lim_{x \to 1} \left(\frac{\sin(x-1)}{x-1}\right)^2 = \left(\lim_{x \to 1} \frac{\sin(x-1)}{x-1}\right)^2 = 1^2 = 1$$

by the small angle approximation.

(d)

$$\lim_{x \to 3} \frac{x - 5}{(x - 3)^2} =$$

Solution:

$$\lim_{x \to 3} \frac{x - 5}{(x - 3)^2} = -\infty$$

since the top approaches -2 and the bottom approaches zero and is always positive.

Problem 2 (M2). Compute the derivatives of the following functions using methods we have learned in class. Show enough work to justify your answers.

(a)
$$f(x) = \sec\left(\frac{\sqrt{x^2+1}}{x+2}\right)$$

Solution:

$$f'(x) = \sec\left(\frac{\sqrt{x^2 + 1}}{x + 2}\right) \cdot \tan\left(\frac{\sqrt{x^2 + 1}}{x + 2}\right) \cdot \frac{\frac{1}{2}(x^2 + 1)^{-1/2}2x(x + 2) - \sqrt{x^2 + 1}}{(x + 2)^2}$$

(b)
$$g(x) = \sqrt[4]{\frac{x^3 + \cos(x^2)}{\sin(x^3) + 1}}$$

Solution:

$$g'(x) = \frac{1}{4} \left(\frac{x^3 + \cos(x^2)}{\sin(x^3) + 1} \right)^{-3/4} \cdot \frac{(3x^2 - \sin(x^2)2x)(\sin(x^3) + 1) - \cos(x^3)3x^2(x^3 + \cos(x^2))}{(\sin(x^3) + 1)^2}$$

Problem 3 (S1).

Suppose $f(x) = x^2 - 6x$, and we want an output of approximately -9. What input a should we aim for? Find a δ so that if our input is $a \pm \delta$ then our output will be -9 ± 2 . Justify your answer.

Solution: We want an input of about a = 3. Our output error will be $|x^2 - 6x + 9| = |x - 3|^2$. We want this to be less than 2, so we need

$$|x-3|^2 < 2$$

 $|x-3| < \sqrt{2}$,

so we can take $\delta = \sqrt{2}$.

Problem 4 (S2). Directly from the definition of derivative, compute the derivative of $f(x) = x^2 + \sqrt{x}$ at a = 2.

Solution:

$$f'(2) = \lim_{h \to 0} \frac{f(2+h) - f(2)}{h}$$

$$= \lim_{h \to 0} \frac{(2+h)^2 + \sqrt{2+h} - 2^2 - \sqrt{2}}{h}$$

$$= \left(\lim_{h \to 0} \frac{4h + h^2}{h}\right) + \left(\lim_{h \to 0} \frac{(\sqrt{2+h} - \sqrt{2})(\sqrt{2+h} + \sqrt{2})}{h(\sqrt{2+h} + \sqrt{2})}\right)$$

$$= \left(\lim_{h \to 0} 4 + h\right) + \left(\lim_{h \to 0} \frac{1}{\sqrt{2+h} + \sqrt{2}}\right)$$

$$= 4 + \frac{1}{2\sqrt{2}}.$$

Problem 5 (S3). Give equation for the linear approximation of the function $f(x) = x \sin(x)$ near the point $a = \pi/2$. Use it to estimate f(1.5).

Solution: We calculate that $f(\pi/2) = \pi/2\sin(\pi/2) = \pi/2$, and $f'(x) = \sin(x) + x\cos(x)$, so $f'(\pi/2) = \sin(\pi/2) + \pi/2\cos(\pi/2) = 1$. So

$$f(x) \approx \pi/2 + 1(x - \pi/2) = x.$$

Thus we have

$$f(1.5) \approx 1.5.$$

(The true answer is 1.49624...)